



Hempbag

Technical characteristics

Hemp for construction

The bag of IsoHemp hemp is the guarantee of using quality aggregate especially suitable for building applications. Mixed with ProKalk lime, this hemp enables the manufacture of lightweight insulating concrete quickly and easily prepared on site.

Advantages

- Very low dust levels
- Performance guarantee with ProKalk

Packaging

	Value	Unit
Dimensions of a pallet	120 x 80 x 240	cm
Weight d'une palette	420	kg
Number of bags per pallet	21	bags/pallet
Volume of a bag	200	L
Storage	Dry and in the shade	
Storage life	6	months



ProKalk

Technical characteristics

Pre-formulated binder for Hempcrete

ProKalk lime is a preformulated binder specially adapted for the manufacturing of hempcrete. It is used both for manual application in a mixer, as well as in a dedicated hemp concrete spraying machine.

Applications

	Dry density	Dosage		
		ProKalk (kg)	Hemp (L)	Water (L)
Wall	300 kg/m ³	40	200	50
Filling	200 kg/m ³	20	200	25

Packaging

Advantages

- A preformulated binder composed of hydraulic lime and aerated lime
- Suitable for mixing and spraying machines

	Value	Unit
Dimensions of a pallet	120 x 100 x 95	cm
Maximum weight of a pallet	1000	kg
Number of bags per pallet	48	bags/pallet
Weight des sacs	20	kg
Storage	Dry and away from moisture	
Storage life	9 months from production date	